

MMPI-2™

Minnesota Multiphasic
Personality Inventory-2™

Outpatient Mental Health Interpretive Report

MMPI-2™

The Minnesota Report™: Adult Clinical System-Revised, 4th Edition

James N. Butcher, PhD

Name: William S.
ID Number: 2511
Age: 32
Gender: Male
Marital Status: Separated
Years of Education: 18
Date Assessed: 12/06/2004



Copyright © 1989, 1993, 2001, 2005 by the Regents of the University of Minnesota. All rights reserved.

Portions reproduced from the MMPI-2 test booklet. Copyright © 1942, 1943 (renewed 1970), 1989 by the Regents of the University of Minnesota. All rights reserved.

Portions excerpted from the *MMPI-2 Manual for Administration, Scoring, and Interpretation, Revised Edition*. Copyright © 2001 by the Regents of the University of Minnesota. All rights reserved.


Distributed exclusively under license from the University of Minnesota by NCS Pearson, Inc.

"MMPI-2," "Minnesota Multiphasic Personality Inventory-2," and "The Minnesota Report" are trademarks of the University of Minnesota.

TRADE SECRET INFORMATION

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.

MMPI-2 VALIDITY PATTERN




| | | | | | | | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|
| Raw Score: | 4 | 8 | 3 | 1 | 0 | 1 | 26 | 43 |
| T Score: | 46 | 57F | 45 | 46 | 41 | 39 | 72 | 71 |
| Response %: | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |

Cannot Say (Raw): 0
 Percent True: 26
 Percent False: 74

| | Raw Score | T Score | Resp. % |
|--------------------------------------|-----------|---------|---------|
| S1 - Beliefs in Human Goodness | 14 | 67 | 100 |
| S2 - Serenity | 10 | 64 | 100 |
| S3 - Contentment with Life | 6 | 60 | 100 |
| S4 - Patience/Denial of Irritability | 8 | 68 | 100 |
| S5 - Denial of Moral Flaws | 4 | 58 | 100 |

MMPI-2 CLINICAL AND SUPPLEMENTARY SCALES PROFILE



| | | | | | | | | | | | | | | | | |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Raw Score: | 1 | 21 | 25 | 21 | 25 | 14 | 4 | 7 | 8 | 18 | 18 | 21 | 3 | 3 | 3 | 1 |
| K Correction: | | | | 10 | | | 26 | 26 | 5 | | | | | | | |
| T Score: | 54 | 57 | 59 | 69 | 48 | 64 | 57 | 62 | 36 | 42 | 44 | 44 | 51 | 42 | 32 | 42 |
| Response %: | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |

Welsh Code: 4+68-3271/50:9# K'+-/F:L#

Profile Elevation: 57.3

PROFILE VALIDITY

This clinical profile has marginal validity because the client attempted to place himself in an overly positive light by minimizing faults and denying psychological problems. This defensive stance is characteristic of individuals who are trying to maintain the appearance of adequacy and self-control. This client tends to deny problems and is not very introspective or insightful about his own behavior.

His efforts to deny problems and present himself in a superlative manner might be understood more clearly by looking at the type of content he endorsed in a defensive manner. He approached the test items with a motivation to have others view him as a very well controlled person who never loses his temper or becomes irritated (as shown by his high score on S4, Patience or Denial of Irritability and Anger). In addition, he approached the test items with a desire to show that he has very positive views of other people. He endorsed a number of items on the Beliefs in Human Goodness subscale.

The clinical profile is likely to be an underestimate of the individual's psychological problems. He is likely to have little awareness of his difficulties. The client is likely to be rigid and inflexible in his approach to problems and may not be open to psychological self-evaluation. He is likely to project an excessively positive self-image and to be somewhat arrogant and intolerant of others' failings. He is unlikely to seek psychological treatment or to cooperate fully with treatment if it is suggested to him.

SYMPTOMATIC PATTERNS

The clinical scale prototype used in the development of this narrative included a prominent elevation on Pd. The client is somewhat immature and impulsive, a risk-taker who may do things others do not approve of just for the personal enjoyment of doing so. He is likely to be viewed as rebellious. He tends to be generally oriented toward thrill seeking and self-gratification. He may occasionally show bad judgment and tends to be somewhat self-centered, pleasure-oriented, narcissistic, and manipulative. He is not particularly anxious and shows no neurotic or psychotic symptoms.

PROFILE FREQUENCY

Profile interpretation can be greatly facilitated by examining the relative frequency of clinical scale patterns in various settings. The client's high-point clinical scale score (Pd) occurred in 9.1% of the MMPI-2 normative sample of men. However, only 3.3% of the normative men had Pd as the peak score equal to or greater than a T score of 65, and only 1.9% had well-defined Pd spikes.

The relative frequency of this profile in various outpatient settings is useful information for clinical interpretation. In the NCS Pearson male outpatient sample, this was the most frequent high-point clinical scale score (Pd), occurring in 17.8% of the sample. Additionally, 10.9% of the male outpatients had the Pd spike at or above a T score of 65, and 7.0% had well-defined Pd spikes.

PROFILE STABILITY

The relative elevation of the highest scales in his clinical profile reflects high profile definition. His high-point score on Pd is likely to remain stable over time. Short-term test-retest studies have shown a correlation of 0.81 for this high-point score. Spiro, Butcher, Levenson, Aldwin, and Bosse (2000) reported a moderate test-retest stability index of 0.67 in a large study of normals over a five-year test-retest period.

INTERPERSONAL RELATIONS

Individuals with this profile pattern tend to be rather likable and personable and may make a good first impression. His tendency to take personal risks and to act out at times may make it somewhat difficult to maintain close relationships.

Quite outgoing and sociable, he has a strong need to be around others. He is gregarious and enjoys attention. Personality characteristics related to social introversion-extraversion tend to be stable over time. The client is typically outgoing, and his sociable behavior is not likely to change if he is retested at a later time. His personal relationships are likely to be somewhat superficial. He appears to be rather spontaneous and expressive and may seek attention from others, especially to gain social recognition.

DIAGNOSTIC CONSIDERATIONS

This pattern is consistent with those of individuals whose personality traits predispose them to problems resulting from nonconformity.

TREATMENT CONSIDERATIONS

Individuals with this profile are generally not self-referred for therapy because they typically feel that they have few problems. They may be seen in mental health assessment settings as a result of court referral or at the insistence of a family member. They are usually not very motivated to change their behavior and may leave treatment prematurely.

Psychological treatment with this person may not be very successful because he tends to blame others for his problems.

ADDITIONAL SCALES

| | Raw Score | T Score | Resp % |
|--|-----------|---------|--------|
| Personality Psychopathology Five (PSY-5) Scales | | | |
| Aggressiveness (AGGR) | 6 | 43 | 100 |
| Psychoticism (PSYC) | 1 | 40 | 100 |
| Disconstraint (DISC) | 16 | 54 | 100 |
| Negative Emotionality/Neuroticism (NEGE) | 2 | 36 | 100 |
| Introversion/Low Positive Emotionality (INTR) | 15 | 59 | 100 |
| Supplementary Scales | | | |
| Anxiety (A) | 1 | 37 | 100 |
| Repression (R) | 22 | 65 | 100 |
| Ego Strength (Es) | 39 | 54 | 100 |
| Dominance (Do) | 22 | 68 | 100 |
| Social Responsibility (Re) | 22 | 55 | 100 |
| Harris-Lingoes Subscales | | | |
| Depression Subscales | | | |
| Subjective Depression (D1) | 8 | 53 | 100 |
| Psychomotor Retardation (D2) | 7 | 59 | 100 |
| Physical Malfunctioning (D3) | 3 | 51 | 100 |
| Mental Dullness (D4) | 2 | 48 | 100 |
| Brooding (D5) | 1 | 45 | 100 |
| Hysteria Subscales | | | |
| Denial of Social Anxiety (Hy1) | 5 | 56 | 100 |
| Need for Affection (Hy2) | 11 | 67 | 100 |
| Lassitude-Malaise (Hy3) | 1 | 43 | 100 |
| Somatic Complaints (Hy4) | 2 | 48 | 100 |
| Inhibition of Aggression (Hy5) | 4 | 55 | 100 |
| Psychopathic Deviate Subscales | | | |
| Familial Discord (Pd1) | 2 | 51 | 100 |
| Authority Problems (Pd2) | 7 | 73 | 100 |
| Social Imperturbability (Pd3) | 4 | 51 | 100 |
| Social Alienation (Pd4) | 4 | 50 | 100 |
| Self-Alienation (Pd5) | 1 | 38 | 100 |
| Paranoia Subscales | | | |
| Persecutory Ideas (Pa1) | 0 | 40 | 100 |
| Poignancy (Pa2) | 3 | 55 | 100 |
| Naivete (Pa3) | 9 | 70 | 100 |

| | Raw Score | T Score | Resp % |
|---|-----------|---------|--------|
| Schizophrenia Subscales | | | |
| Social Alienation (Sc1) | 0 | 39 | 100 |
| Emotional Alienation (Sc2) | 1 | 50 | 100 |
| Lack of Ego Mastery, Cognitive (Sc3) | 0 | 42 | 100 |
| Lack of Ego Mastery, Conative (Sc4) | 1 | 44 | 100 |
| Lack of Ego Mastery, Defective Inhibition (Sc5) | 0 | 40 | 100 |
| Bizarre Sensory Experiences (Sc6) | 1 | 46 | 100 |
| Hypomania Subscales | | | |
| Amorality (Ma1) | 1 | 42 | 100 |
| Psychomotor Acceleration (Ma2) | 2 | 34 | 100 |
| Imperturbability (Ma3) | 4 | 53 | 100 |
| Ego Inflation (Ma4) | 1 | 37 | 100 |
| Social Introversion Subscales (Ben-Porath, Hostetler, Butcher, & Graham) | | | |
| Shyness/Self-Consciousness (Si1) | 4 | 48 | 100 |
| Social Avoidance (Si2) | 2 | 45 | 100 |
| Alienation--Self and Others (Si3) | 1 | 38 | 100 |

Uniform T scores are used for Hs, D, Hy, Pd, Pa, Pt, Sc, Ma, the content scales, the content component scales, and the PSY-5 scales. The remaining scales and subscales use linear T scores.

CONTENT COMPONENT SCALES (Ben-Porath & Sherwood)

| | Raw Score | T Score | Resp % |
|------------------------------------|-----------|---------|--------|
| Fears Subscales | | | |
| Generalized Fearfulness (FRS1) | 0 | 44 | 100 |
| Multiple Fears (FRS2) | 4 | 54 | 100 |
| Depression Subscales | | | |
| Lack of Drive (DEP1) | 0 | 40 | 100 |
| Dysphoria (DEP2) | 1 | 50 | 100 |
| Self-Depreciation (DEP3) | 0 | 41 | 100 |
| Suicidal Ideation (DEP4) | 1 | 62 | 100 |
| Health Concerns Subscales | | | |
| Gastrointestinal Symptoms (HEA1) | 0 | 44 | 100 |
| Neurological Symptoms (HEA2) | 2 | 54 | 100 |
| General Health Concerns (HEA3) | 1 | 48 | 100 |
| Bizarre Mentation Subscales | | | |
| Psychotic Symptomatology (BIZ1) | 0 | 44 | 100 |
| Schizotypal Characteristics (BIZ2) | 0 | 41 | 100 |

| | Raw Score | T Score | Resp % |
|--|-----------|---------|--------|
| Anger Subscales | | | |
| Explosive Behavior (ANG1) | 0 | 39 | 100 |
| Irritability (ANG2) | 0 | 35 | 100 |
| Cynicism Subscales | | | |
| Misanthropic Beliefs (CYN1) | 1 | 36 | 100 |
| Interpersonal Suspiciousness (CYN2) | 1 | 39 | 100 |
| Antisocial Practices Subscales | | | |
| Antisocial Attitudes (ASP1) | 1 | 35 | 100 |
| Antisocial Behavior (ASP2) | 3 | 59 | 100 |
| Type A Subscales | | | |
| Impatience (TPA1) | 1 | 39 | 100 |
| Competitive Drive (TPA2) | 0 | 33 | 100 |
| Low Self-Esteem Subscales | | | |
| Self-Doubt (LSE1) | 0 | 39 | 100 |
| Submissiveness (LSE2) | 0 | 41 | 100 |
| Social Discomfort Subscales | | | |
| Introversion (SOD1) | 3 | 45 | 100 |
| Shyness (SOD2) | 2 | 47 | 100 |
| Family Problems Subscales | | | |
| Family Discord (FAM1) | 0 | 35 | 100 |
| Familial Alienation (FAM2) | 1 | 49 | 100 |
| Negative Treatment Indicators Subscales | | | |
| Low Motivation (TRT1) | 0 | 42 | 100 |
| Inability to Disclose (TRT2) | 0 | 37 | 100 |

CRITICAL ITEMS

The following critical items have been found to have possible significance in analyzing a client's problem situation. Although these items may serve as a source of hypotheses for further investigation, caution should be used in interpreting individual items because they may have been checked inadvertently.

The percentages of endorsement for each critical item by various reference groups are presented in brackets following the listing of the item. The first endorsement percentage in the brackets ("N") is the percentage of the MMPI-2 normative sample of 1,138 men who endorsed the item in the scored direction. The designation "Op" refers to a sample of 10,510 male outpatients (NCS Assessments, 1993).

Acute Anxiety State (Koss-Butcher Critical Items)

Of the 17 possible items in this section, 1 was endorsed in the scored direction:

15. Omitted Item (True)
[N = 37.0; Op = 47.7]



Special Note:

The content of the test items is included in the actual reports. To protect the integrity of the test, the item content does not appear in this sample report.

Depressed Suicidal Ideation (Koss-Butcher Critical Items)

Of the 22 possible items in this section, 1 was endorsed in the scored direction:

506. Omitted Item (True)
[N = 4.2; Op = 16.5]

Situational Stress Due to Alcoholism (Koss-Butcher Critical Items)

Of the 7 possible items in this section, 1 was endorsed in the scored direction:

487. Omitted Item (True)
[N = 34.2; Op = 29.1]

Persecutory Ideas (Koss-Butcher Critical Items)

Of the 16 possible items in this section, 1 was endorsed in the scored direction:

241. Omitted Item (True)
[N = 19.7; Op = 27.9]

Antisocial Attitude (Lachar-Wrobel Critical Items)

Of the 9 possible items in this section, 3 were endorsed in the scored direction:

35. Omitted Item (True)
[N = 58.0; Op = 58.1]

105. Omitted Item (True)
[N = 30.9; Op = 40.1]

266. Omitted Item (False)
[N = 40.9; Op = 52.9]

Somatic Symptoms (Lachar-Wrobel Critical Items)

Of the 23 possible items in this section, 1 was endorsed in the scored direction:

159. Omitted Item (False)
[N = 27.0; Op = 25.8]

Sexual Concern and Deviation (Lachar-Wrobel Critical Items)

Of the 6 possible items in this section, 2 were endorsed in the scored direction:

34. Omitted Item (False)
[N = 19.3; Op = 22.5]

268. Omitted Item (True)
[N = 21.0; Op = 23.8]

End of Report

NOTE: This MMPI-2 interpretation can serve as a useful source of hypotheses about clients. This report is based on objectively derived scale indices and scale interpretations that have been developed in diverse groups of patients. The personality descriptions, inferences, and recommendations contained herein need to be verified by other sources of clinical information because individual clients may not fully match the prototype. The information in this report should only be used by a trained and qualified test interpreter. The report was not designed or intended to be provided directly to clients. The information contained in the report is technical and was developed to aid professional interpretation.

This and previous pages of this report contain trade secrets and are not to be released in response to requests under HIPAA (or any other data disclosure law that exempts trade secret information from release). Further, release in response to litigation discovery demands should be made only in accordance with your profession's ethical guidelines and under an appropriate protective order.

ITEM RESPONSES

1: 2 2: 1 3: 1 4: 2 5: 2 6: 1 7: 1 8: 1 9: 1 10: 1
11: 2 12: 1 13: 2 14: 1 15: 1 16: 1 17: 2 18: 2 19: 2 20: 1
21: 2 22: 2 23: 2 24: 2 25: 1 26: 2 27: 2 28: 2 29: 1 30: 2
31: 2 32: 2 33: 1 34: 2 35: 1 36: 2 37: 2 38: 2 39: 2 40: 2
41: 1 42: 2 43: 2 44: 2 45: 1 46: 2 47: 1 48: 2 49: 2 50: 2
51: 1 52: 2 53: 2 54: 2 55: 2 56: 1 57: 1 58: 2 59: 2 60: 2
61: 1 62: 2 63: 1 64: 2 65: 2 66: 2 67: 1 68: 2 69: 2 70: 2
71: 2 72: 2 73: 2 74: 2 75: 1 76: 2 77: 1 78: 1 79: 2 80: 2
81: 2 82: 2 83: 1 84: 2 85: 2 86: 1 87: 2 88: 1 89: 2 90: 1
91: 1 92: 2 93: 1 94: 2 95: 1 96: 2 97: 2 98: 2 99: 2 100: 2
101: 2 102: 1 103: 2 104: 2 105: 1 106: 1 107: 1 108: 2 109: 1 110: 2
111: 2 112: 2 113: 2 114: 2 115: 2 116: 2 117: 1 118: 2 119: 2 120: 2
121: 1 122: 2 123: 2 124: 2 125: 1 126: 1 127: 2 128: 1 129: 2 130: 2
131: 2 132: 1 133: 2 134: 2 135: 2 136: 2 137: 2 138: 2 139: 1 140: 1
141: 1 142: 1 143: 1 144: 2 145: 2 146: 2 147: 2 148: 2 149: 2 150: 2
151: 2 152: 1 153: 1 154: 1 155: 2 156: 2 157: 2 158: 1 159: 2 160: 1
161: 2 162: 2 163: 1 164: 1 165: 1 166: 2 167: 2 168: 2 169: 2 170: 2
171: 2 172: 2 173: 1 174: 1 175: 2 176: 1 177: 1 178: 2 179: 2 180: 2
181: 1 182: 2 183: 1 184: 1 185: 1 186: 1 187: 2 188: 1 189: 2 190: 2
191: 2 192: 1 193: 2 194: 1 195: 2 196: 2 197: 2 198: 2 199: 1 200: 1
201: 2 202: 2 203: 1 204: 1 205: 2 206: 2 207: 2 208: 1 209: 2 210: 1
211: 2 212: 2 213: 2 214: 2 215: 2 216: 2 217: 2 218: 2 219: 1 220: 2
221: 2 222: 2 223: 1 224: 1 225: 2 226: 2 227: 2 228: 2 229: 2 230: 1
231: 2 232: 1 233: 2 234: 2 235: 2 236: 2 237: 1 238: 2 239: 2 240: 2
241: 1 242: 2 243: 2 244: 2 245: 1 246: 2 247: 2 248: 2 249: 1 250: 2
251: 2 252: 2 253: 2 254: 2 255: 1 256: 2 257: 1 258: 2 259: 2 260: 1
261: 2 262: 1 263: 2 264: 2 265: 2 266: 2 267: 2 268: 1 269: 2 270: 2
271: 2 272: 1 273: 2 274: 2 275: 2 276: 1 277: 2 278: 1 279: 1 280: 1
281: 2 282: 2 283: 2 284: 2 285: 1 286: 2 287: 2 288: 2 289: 2 290: 2
291: 2 292: 2 293: 2 294: 2 295: 1 296: 2 297: 2 298: 2 299: 2 300: 2
301: 2 302: 2 303: 2 304: 2 305: 2 306: 2 307: 2 308: 2 309: 2 310: 2
311: 2 312: 2 313: 2 314: 1 315: 2 316: 2 317: 2 318: 1 319: 2 320: 2
321: 1 322: 2 323: 2 324: 2 325: 2 326: 2 327: 2 328: 2 329: 2 330: 1
331: 2 332: 2 333: 2 334: 2 335: 1 336: 2 337: 2 338: 2 339: 2 340: 2
341: 2 342: 2 343: 1 344: 1 345: 2 346: 1 347: 2 348: 2 349: 2 350: 1
351: 2 352: 2 353: 1 354: 1 355: 2 356: 2 357: 2 358: 2 359: 2 360: 1
361: 2 362: 1 363: 1 364: 2 365: 2 366: 2 367: 2 368: 2 369: 2 370: 1
371: 2 372: 1 373: 2 374: 2 375: 2 376: 2 377: 2 378: 2 379: 2 380: 2
381: 2 382: 2 383: 1 384: 2 385: 1 386: 2 387: 2 388: 1 389: 2 390: 2
391: 2 392: 2 393: 2 394: 2 395: 2 396: 2 397: 2 398: 2 399: 2 400: 2
401: 1 402: 2 403: 2 404: 1 405: 1 406: 2 407: 2 408: 2 409: 2 410: 1
411: 2 412: 2 413: 2 414: 2 415: 2 416: 1 417: 2 418: 1 419: 2 420: 2
421: 2 422: 2 423: 2 424: 2 425: 2 426: 2 427: 1 428: 2 429: 1 430: 2
431: 2 432: 2 433: 2 434: 2 435: 2 436: 2 437: 1 438: 2 439: 1 440: 1

| | | | | | | | | | |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 441: 2 | 442: 2 | 443: 2 | 444: 2 | 445: 2 | 446: 2 | 447: 2 | 448: 2 | 449: 2 | 450: 2 |
| 451: 2 | 452: 2 | 453: 2 | 454: 2 | 455: 1 | 456: 1 | 457: 2 | 458: 1 | 459: 1 | 460: 2 |
| 461: 2 | 462: 1 | 463: 2 | 464: 2 | 465: 2 | 466: 2 | 467: 1 | 468: 2 | 469: 2 | 470: 2 |
| 471: 2 | 472: 2 | 473: 2 | 474: 1 | 475: 2 | 476: 2 | 477: 1 | 478: 2 | 479: 2 | 480: 2 |
| 481: 1 | 482: 2 | 483: 2 | 484: 2 | 485: 2 | 486: 2 | 487: 1 | 488: 2 | 489: 2 | 490: 2 |
| 491: 2 | 492: 2 | 493: 1 | 494: 1 | 495: 2 | 496: 2 | 497: 2 | 498: 2 | 499: 2 | 500: 2 |
| 501: 1 | 502: 2 | 503: 2 | 504: 2 | 505: 2 | 506: 1 | 507: 2 | 508: 2 | 509: 2 | 510: 2 |
| 511: 2 | 512: 2 | 513: 2 | 514: 2 | 515: 2 | 516: 2 | 517: 2 | 518: 2 | 519: 2 | 520: 2 |
| 521: 1 | 522: 2 | 523: 2 | 524: 2 | 525: 2 | 526: 2 | 527: 2 | 528: 2 | 529: 2 | 530: 2 |
| 531: 2 | 532: 2 | 533: 2 | 534: 1 | 535: 1 | 536: 2 | 537: 2 | 538: 2 | 539: 2 | 540: 2 |
| 541: 1 | 542: 2 | 543: 2 | 544: 2 | 545: 2 | 546: 2 | 547: 2 | 548: 2 | 549: 2 | 550: 2 |
| 551: 2 | 552: 2 | 553: 2 | 554: 2 | 555: 2 | 556: 2 | 557: 2 | 558: 2 | 559: 2 | 560: 2 |
| 561: 1 | 562: 2 | 563: 2 | 564: 1 | 565: 2 | 566: 2 | 567: 2 | | | |